

BC-820
FL-2002

Cross

ELANOR
COMBINO

FRAME	ALUMINUM	HEADSET	STEEL	CRANKS	ALUMINUM	REAR DERAILLEUR	SHIMANO
SPACERS	STEEL	SPACERS	STEEL	SPACERS	STEEL	SPACERS	STEEL
SPACERS	STEEL	SPACERS	STEEL	SPACERS	STEEL	SPACERS	STEEL

CROSS LTD
1100 MONTANA BLVD
MONTANA BLVD
MONTANA BLVD

212FC

Cross

CROSS ALIERS

CROSS LTD
1100 MONTANA BLVD
MONTANA BLVD
MONTANA BLVD

1996

Cross

CROSS

cross selection 2001

SPORT UTILITY BICYCLES

26" MTB

COLUMBIA
ATLANTA
MONTANA
PARIS
PIONEER
LEADER
AGGRESSOR
SUN-ESP
Parallax
TIGER
CIERRA
PROTON

www.crosscycle.com

2000 CROSS GENERATION

Cross

EXTRA

www.crosscycle.com

www.crosscycle.com

SPORT UTILITY BICYCLES

CROSS

SELECTION

cross

Belocunegu 96/97

catalogue 1999

PRESENT

DIMAS

SPORT UTILITY BICYCLES

2001

http://www.c...

SPORT UTILITY BICYCLES

CROSS

2001

www.crosscycle.com

contents

TREKKING

Quest	4 - 5
Flyent / Flydy	6 - 7
Journey	8 - 9
Avalon / Amber / Tiara	10 - 12
Galatone / Galatea / Galatea LS	13 - 15
Areal / Arena / Arena LS	16 - 18
Travel	19 - 21

CROSS

Quest	22 - 23
Avalon / Amber	24 - 25
Areal / Arena	26 - 27

CITY

Elegra	28 - 29
Riviera	30
Trendy	31 - 32
Citerra	33 - 35
Picnic	36 - 37

URBAN

Spria	38
Flydy / Flyent	39 - 40

29er

Grip 924:927	41 - 42
Big Foot	43

MTB


Grip 124:127:130	44 - 46
GRX 7:8:9	47 - 49
Traction G27:G30	50 - 51
Parallax 2VB:2DB	52 - 53
Spotster 2VB:2DB	54-55
Gravito 2VB:2DB / Gravita	56-57

JUNIOR

Gravito S 26:24:20	58-59
Gravita S 26:24:20	60-61

GEOMETRY

Size chart	62-64
------------	-------





- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks Aluminium Rigid Fork
- gears 30 speed SHIMANO DEORE XT RD-T780 / SL-M591
- brakes SHIMANO BR-M395 Hydraulic disc brakes
- wheels Double wall X8, 32 spokes

FLYENT FLYDY



- frames Man (diamond) Alloy, 700C x 480 / 530 / 580 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NCX-FT-D LO LITE, travel 63 mm
- gears 27 speed SHIMANO DEORE LX RD-T661 / SL-M590
- brakes MAGURA HS11 Hydraulic rim brakes
- wheels Double wall X7, 32 spokes



- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NEX, travel 63 mm
- gears 27 speed SHIMANO DEORE RD-M591 / SL-M390
- brakes TEKTRO DRACO Hydraulic disc brakes
- wheels Double wall X3, 32 spokes

AVALON AMBER



frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm
 Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
 forks SUNTOUR NEX, travel 63 mm
 gears 24 speed SHIMANO ALIVIO RD-M4.10 / ST-EF51
 brakes SHIMANO BR-M422 V-brakes
 wheels Double wall X3, 36 spokes

TIARA

frame Low Step (Wave) Alloy, 700C x 440 / 480 / 520 mm
 fork SUNTOUR CR-7V, travel 40 mm
 gears 24 speed SHIMANO ALIVIO RD-M4.10 / ST-EF51
 brakes SHIMANO alloy V-brakes BR-M422
 wheels Double wall X3, 36 spokes, 9x4 lacing



GALATONE

frame Man (Diamond) Alloy
700C x 500 / 550 / 600 mm

trekking

fork SUNTOUR CR-7V, travel 40 mm
gears 24 speed SHIMANO ACERA RD-M360 / ST-EF51
brakes TEKTRO V-brakes
wheels Double wall X3, 36 spokes



13

14

GALATEA

frame Lady (Trapez) Alloy
700C x 450 / 500 / 550 mm

GALATEA LS

frame Low Step (Connect) Alloy
700C x 450 / 500 / 550 mm

trekking



15

forks SUNTOUR M3010AL, travel 50 mm
gears 21 speed SHIMANO ALTUS RD-M310 / ST-EF51
brakes PROMAX alloy V-brakes
wheels Double wall X2, 36 spokes

AREAL

frame Man (Diamond) Alloy
700C x 480 / 520 / 560 / 600 mm



ARENA

frame Lady (Trapez) Alloy
700C x 440 / 480 / 520 mm



ARENA LS

frame Low Step (Wave) Alloy
700C x 400 / 460 / 500 / 540 mm



frames Man (Diamond) Alloy 700C x 480 / 520 / 580 / 610 mm
 Lady (Trapez) Alloy 700C x 460 / 500 / 540 mm
 fork SUNTOUR NEX, travel 63 mm
 gears 24 speed SHIMANO ALIVIO RD-M410 / SL-M360
 brakes TEKTRO DRACO Hydraulic disc brakes
 wheels Double wall X3, 36 spokes





- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NCX-D LO LITE, travel 63 mm
- gears 30 speed SHIMANO DEORE XT RD-T780 / SL-M591
- brakes SHIMANO BR-M395 Hydraulic disc brakes
- wheels Double wall X8, 32 spokes

AVALON AMBER



- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NEX, travel 63 mm
- gears 27 speed SHIMANO DEORE RD-M591 / SL-M390
- brakes TEKTRO DRACO Hydraulic disc brakes
- wheels Double wall X6, 36 spokes

AREAL ARENA



- frames Man (diamond) Alloy, 700C x 480 / 520 / 560 / 600 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
- forks SUNTOUR NEX, travel 63 mm
- gears 21 speed SHIMANO ALTUS RD-M310 / ST-EF51
- brakes PROMAX V-brakes
- wheels Double wall X3, 36 spokes

E B I K E
ELEGRA

frame Low Step (Wave) Alloy, 700C x 440 / 480 mm, 26" x 400 mm
 fork SUNTOUR NVX-HE, travel 63 mm
 gears 7 speed SHIMANO NEXUS INTER-7 coaster brake
 brakes SHIMANO BR-M422 V-brakes
 wheels Double wall X3, 36 spokes



SUNTOUR — HESC TWIN SENSOR SYSTEM
 FRONT HUB MOTOR - 36V/250W
 LI-ION Battery 36V-8AH
 Human Electro Synergy Components

RIVIERA

frame Low Step (Wave) Alloy, 700C x 430 / 480 / 530 / 570 mm
 fork SUNTOUR CR-8V, travel 50 mm
 gears 8 speed SHIMANO NEXUS INTER-8 coaster brake
 brakes SHIMANO alloy V-brakes BR-M422
 wheels Double wall X3, 36 spokes



TRENDY



frames Man (diamond) Alloy, 700C x 550 / 600 mm
 Low Step (connect) Alloy, 700C x 500 / 550 mm
 forks SUNTOUR CR-8R, travel 50 mm
 gears 7 speed SHIMANO NEXUS INTER-7 roller brake
 brakes SHIMANO Roller brakes BR-IM45
 wheels Double wall X3, 36 spokes, 9x4 lacing

CITERRA LS

frame Low Step (Connect) Alloy
700C x 450 / 500 / 550 mm

city

fork SUNTOUR CR-7V, travel 40 mm
gears 7 speed SHIMANO NEXUS INTER-7 coaster brake
brakes PROMAX V-brakes
wheels Double wall X2, 36 spokes



33

34

CITERRA L

frame Lady (Trapez) Alloy
700C x 440 / 480 / 520 mm



CITERRA M

frame Man (Diamond) Alloy
700C x 480 / 520 / 560 / 600 mm



35

city

PICNIC



frame Alloy, Low Step, Retro Style 700C x 450 / 500 / 550 mm
 forks Steel rigid fork
 gears 3 speed SHIMANO NEXUS INTER-3 coaster brake
 brakes PROMAX V-brakes
 wheels Double wall X2, 36 spokes

SPRIA

frame Man (diamond) Alloy, 700C x 470 / 530 / 570 / 610 mm
fork Steel rigid fork
gears 3 speed SHIMANO NEXUS INTER-3 V-brake
brakes TEKTRO V-brakes
wheels Double wall X4, 36 spokes



frames Man (diamond) Alloy, 700C x 480 / 530 / 580 mm
Lady (trapez) Alloy, 700C x 440 / 480 / 520 mm
forks Aluminium rigid fork
gears 27 speed SHIMANO DEORE LX RD-T661 / SL-M430
brakes AVID ELIXIR 1 Hydraulic disc brakes
wheels Double wall X6, 32 spokes



Optional color



fork SUNTOUR XCT
travel 100 mm
gears 24 speed SRAMNO ALTRA
RD-M390 / SL-M310
RD-M390 / SL-M310
brakes Hydraulic disc brakes

GRIP 924

29er

fork SUNTOUR XCM MLO
travel 100 mm
gears 27 speed SHIMANO ALVIDO
RD-M430 / SL-M430
brakes SHIMANO BR-M395
Hydraulic disc brakes

GRIP 927

41

42



BIG FOOT

frame Alloy hardtail, hydroformed, double butted,
29" x 400 / 450 / 510 mm
fork ROCK SHOX XC30 Lockout,
travel 100 mm
gears 30 speed SRAM X7
XS trigger shifters
brakes AVID ELIXIR 3
Hydraulic disc brakes
wheels Double wall X6, 32 spokes

43

29er

TWENTY NINERS XC

t y p e

frames Alloy hardtail, double butted
29" x 440 / 480 / 520 / 560 mm
wheels Double wall X6, 32 spokes



Optional color



GRIP 124

frames Alloy Hardtail, double butted
 26" x 440 / 480 / 520 / 560 mm

fork SUNTOR XCM MD, travel 100 mm
 2x speed SHIMANO ACEBER RD-M360 / SL-M360
 2x speed SHIMANO ACEBER RD-M360 / SL-M360
 gears 2x speed SHIMANO ACEBER RD-M360 / SL-M360
 brakes Tektro RD-C10 hydraulic disc brakes
 wheels Double wall X8, 32 spokes



GRIP 127

frames Alloy Hardtail, double butted
 26" x 440 / 480 / 520 / 560 mm

fork ROCK SHOX XC30
 Air lockout, travel 100 mm
 27 speed SHIMANO DEORE
 gears 27 speed SHIMANO DEORE
 brakes AVID ELIXIR 1
 Hydraulic disc brakes

wheels Double wall X8,
 32 spokes

GRIP 130

frames Alloy Hardtail, double butted
 26" x 440 / 480 / 520 / 560 mm

fork ROCK SHOX RECON SILVER
 Air lockout, travel 100 mm
 30 speed SHIMANO DEORE
 gears XT RD-M781 / SL-M591
 brakes AVID ELIXIR 3
 Hydraulic disc brakes

wheels Double wall X8,
 32 spokes

fork ROCK SHOX RECON SILVER
 Air lockout, travel 100 mm
 30 speed SHIMANO DEORE
 gears XT RD-M781 / SL-M591
 brakes AVID ELIXIR 3
 Hydraulic disc brakes

XC type
 frames Alloy Hardtail, double butted
 26" x 440 / 480 / 520 / 560 mm

GRX 7

fork SUNTOUR XCT, travel 100 mm
 gears 24 speed SHIMANO ALTUS RD-M310 / SL-M310
 brakes TEKTRO DRACO Hydraulic disc brakes
 wheels Double wall X6, 36 spokes



MTB

XC type frames Alloy Hardtail
 26" x 410 / 460 / 510 / 560 mm

47



48

GRX 8
 fork SUNTOUR XCT M10, travel 100 mm
 gears 24 speed SHIMANO ALTUS RD-M310 / SL-M310
 brakes SHIMANO BR-M315 Hydraulic disc brakes
 wheels Double wall X6, 32 spokes

GRX 9

fork ROCK SHOX XC30 Lockout, travel 100 mm
 gears 27 speed SHIMANO DEORE RD-M591 / SL-M590
 brakes SHIMANO BR-M395 Hydraulic disc brakes
 wheels Double wall X6, 32 spokes



49

MTB



fork SINTOUR XCM M.C.O. travel 100 mm
gears 27 speed SRAM X7
brakes SHIMANO BR-M422 V-brakes
wheels Double wall X.7, 32 spokes

G 27 TRACTION G 30

fork ROCK SHOX RECON SILVER Air lockout, travel 100 mm
gears 30 speed SRAM X7 X5 Trigger shifters
brakes AVID ELIXIR 3 Hydraulic disc brakes
wheels Double wall X8, 32 spokes



XC type frames Alloy hardtail, Double Butted
26" x 430 / 480 / 530 / 580 mm



fork SUNTOUR XCT, travel 100 mm
 gears 27 speed SHIMANO ALTUS RD-M310 / ST-EF51
 brakes TEKTRO V-brakes
 wheels Double wall X7, 36 spokes

20B PARALLAX 20B

fork SUNTOUR XCM MLO, travel 100 mm
 gears 27 speed SHIMANO ACERA RD-M390 / SL-M390
 brakes TEKTRO DRACO Hydraulic disc brakes
 wheels Double wall X6, 32 spokes



XC type frames Alloy hardtail, Double Butted
 26" x 430 / 485 / 530 mm



2VB SPOTSTER 20B
 fork RST Dirt T, travel 100 mm
 gears 21 speed SHIMANO ALTUS RD-M310 / ST-EF51
 brakes TEKTRO V-Brakes
 wheels Double wall X2, 36 spokes



2VB SPOTSTER 20B
 fork RST Dirt T, travel 100 mm
 gears 24 speed SHIMANO DEORE RD-M591 / SL-M360
 brakes AVID ELIXIR 1 Hydraulic disc brakes
 wheels Double wall X6, 32 spokes

DIRT type frames Alloy hardtail
 26" x 380 / 420 / 460 / 530 mm



21B
GRAVITO 21B
wheels
brakes
gears
21 speed SHIMANO RD-TX55
PROMAX V-brakes
Double wall X2, 36 spokes

frame Alloy hardtail, 26" x 410 / 460 / 510 mm
fork SUNTOUR XCT, travel 80 mm

20B
GRAVITO 20B
gears
brakes
wheels
21 speed Shimano ACERA RD-M360 / ST-EF51
TEKTRO Noveta mechanical disc brakes
Double wall X6, 36 spokes



GRAVITA
frame Alloy hardtail, 26" x 420 / 460 mm
fork SUNTOUR XCT, travel 80 mm
gears 21 speed SHIMANO RD-TX55 / ST-EF51
brakes PROMAX V-brakes
wheels Double wall X2, 36 spokes



GRAVITO S

frames Alloy hardtail slopy type

24" x 350 mm
 fork HL ZOOM 550, travel 60 mm
 gears 21 speed SHIMANO RD-TX55 / ST-EF51
 brakes PROMAX alloy V-brakes
 wheels Double wall X3, 36 spokes



24" x 320 mm
 fork HL ZOOM 550, travel 60 mm
 gears 21 speed SHIMANO RD-TX55 / Revoshift
 brakes PROMAX alloy V-brakes
 wheels Double wall X3, 36 spokes



20" x 290 mm
 fork HL ZOOM 386, travel 40 mm
 gears 12 speed SHIMANO RD-TX35 / Revoshift
 brakes PROMAX alloy V-brakes
 wheels Double wall X3, 36 spokes

GRAVITA S

frames Alloy hardtail slopy type

24" x 350 mm
 fork HL ZOOM 550, travel 60 mm
 gears 21 speed SHIMANO RD-TX55 / ST-EF51
 brakes PROMAX alloy V-brakes
 wheels Double wall X3, 36 spokes




24" x 320 mm
 fork HL ZOOM 550, travel 60 mm
 gears 21 speed SHIMANO RD-TX55 / Revoshift
 brakes PROMAX alloy V-brakes
 wheels Double wall X3, 36 spokes



20" x 290 mm
 fork HL ZOOM 386, travel 40 mm
 gears 12 speed SHIMANO RD-TX35 / Revoshift
 brakes PROMAX alloy V-brakes
 wheels Double wall X3, 36 spokes


- A seat tube length (mm)
- B effective top tube length (mm)
- C seat tube angle
- D head tube angle
- E head tube length (mm)
- F chain stay length (mm)
- G wheel base (mm)



28" wheels size - Man
(diamond type) frames


	frame size (A)	B	C	D	E	F	G
Quest	M / 480	560.0	73.0°	71.0°	135.0	445.0	1074.5
	L / 520	575.1	73.0°	71.0°	145.0	445.0	1089.9
	XL / 560	591.6	73.0°	71.0°	155.0	445.0	1105.3
	XXL / 600	609.5	73.0°	71.0°	165.0	445.0	1120.6
Flyent	L / 480	532.2	72.5°	70.5°	145.0	450.0	1075.8
	XL / 530	569.1	72.5°	70.5°	160.0	450.0	1091.4
	XXL / 580	587.6	72.5°	70.5°	175.0	450.0	1106.9
Journey	M / 480	563.9	72.0°	71.0°	135.0	460.0	1087.0
	L / 520	580.8	72.0°	71.0°	145.0	460.0	1102.0
	XL / 560	599.7	72.0°	71.0°	160.0	460.0	1118.0
	XXL / 600	619.8	72.0°	71.0°	175.0	460.0	1134.0
Avalon	M / 480	559.7	73.0°	70.5°	135.0	450.0	1087.0
	L / 520	576.1	73.0°	70.5°	145.0	450.0	1102.0
	XL / 560	593.8	73.0°	70.5°	160.0	450.0	1118.0
	XXL / 600	612.6	73.0°	70.5°	175.0	450.0	1134.0
Galatone	L / 500	563.9	72.5°	70.5°	145.0	450.0	1088.6
	XL / 550	587.1	72.5°	70.5°	160.0	450.0	1109.1
	XXL / 600	612.7	72.5°	70.5°	175.0	450.0	1129.7

	frame size (A)	B	C	D	E	F	G
Areal	M / 480	559.7	73.0°	70.5°	135.0	450.0	1087.0
	L / 520	576.1	73.0°	70.5°	145.0	450.0	1102.0
	XL / 560	593.8	73.0°	70.5°	160.0	450.0	1118.0
	XXL / 600	612.6	73.0°	70.5°	175.0	450.0	1134.0
Travel	M / 480	559.2	72.5°	70.5°	130.0	440.0	1071.2
	L / 520	576.1	72.5°	70.5°	145.0	440.0	1086.7
	XL / 560	591.7	72.5°	70.5°	160.0	440.0	1101.8
	XXL / 600	611.0	72.5°	70.5°	175.0	440.0	1117.8
Trendy	XL / 550	559.4	70.0°	70.0°	175.0	460.0	1074.6
	XXL / 600	578.2	70.0°	70.0°	175.0	460.0	1084.6
Citerra	M / 480	559.7	73.0°	70.5°	135.0	450.0	1087.0
	L / 520	576.1	73.0°	70.5°	145.0	450.0	1102.0
	XL / 560	593.8	73.0°	70.5°	160.0	450.0	1118.0
	XXL / 600	612.7	73.0°	70.5°	175.0	450.0	1134.0
Spria	M / 470	533.0	75.0°	72.5°	120.0	428.0	1016.4
	L / 530	545.9	75.0°	72.5°	135.0	428.0	1024.0
	XL / 570	554.5	75.0°	72.5°	135.0	428.0	1024.0
	XXL / 610	568.3	75.0°	72.5°	165.0	428.0	1038.2



28" wheels size - Low Step
(wave & connect type) frames

	frame size (A)	B	C	D	E	F	G
Tiara	M / 440	559.5	72.5°	70.5°	160.0	450.0	1082.1
	L / 480	567.5	72.5°	70.5°	160.0	450.0	1092.1
	XL / 520	578.8	72.5°	70.5°	160.0	450.0	1102.1
Galatea LS	M / 450	543.5	72.5°	70.5°	145.0	450.0	1068.2
	L / 500	563.9	72.5°	70.5°	145.0	450.0	1088.6
	XL / 550	589.8	72.5°	70.5°	145.0	450.0	1109.1
Arena LS	M / 460	587.8	69.9°	70.0°	180.0	460.0	1096.3
	L / 500	596.6	69.9°	70.0°	180.0	460.0	1106.3
	XL / 540	613.3	69.9°	70.0°	180.0	460.0	1121.3
Elegra	26" x 440	590.0	72.5°	70.0°	140.0	450.0	1121.2
	M / 700C x 440	595.4	72.5°	70.0°	140.0	465.0	1142.4
	L / 700C x 480	597.0	72.5°	70.0°	140.0	465.0	1142.4
Riviera	S / 430	585.1	73.0°	70.0°	170.0	470.0	1131.7
	M / 480	589.3	73.0°	70.0°	170.0	470.0	1137.9
	L / 530	598.0	73.0°	70.0°	170.0	470.0	1143.9
	XL / 570	603.8	73.0°	70.0°	170.0	470.0	1183.4
Trendy	L / 500	545.4	70.0°	70.0°	175.0	460.0	1064.6
	XL / 550	559.4	70.0°	70.0°	175.0	460.0	1074.6
Citerra	M / 450	573.9	72.5°	70.5°	160.0	465.0	1107.9
	L / 500	586.6	72.5°	70.5°	170.0	465.0	1123.3
	XL / 550	602.9	72.5°	70.5°	170.0	465.0	1138.3
Picnic	M / 450	588.5	68.0°	70.0°	180.0	490.0	1129.6
	L / 500	615.9	67.0°	70.5°	180.0	490.0	1139.3
	XL / 550	651.5	66.0°	71.0°	180.0	490.0	1151.4




28" wheels size - Lady
(trapez type) frames

	frame size (A)	B	C	D	E	F	G
Quest	M / 440	537.0	73.0°	71.0°	135.0	445.0	1049.5
	L / 480	550.0	73.0°	71.0°	145.0	445.0	1064.9
	XL / 520	565.0	73.0°	71.0°	155.0	445.0	1080.3
Flydy	M / 440	545.0	72.5°	70.5°	145.0	450.0	1065.8
	L / 480	553.3	72.5°	70.5°	160.0	450.0	1076.4
	XL / 520	562.9	72.5°	70.5°	175.0	450.0	1086.9
Journey	M / 440	534.0	72.0°	71.0°	135.0	460.0	1056.0
	L / 480	547.9	72.0°	71.0°	145.0	460.0	1071.0
	XL / 520	564.5	72.0°	71.0°	160.0	460.0	1087.0
Amber	M / 440	534.9	72.5°	70.5°	135.0	450.0	1056.0
	L / 480	548.5	72.5°	70.5°	145.0	450.0	1071.0
	XL / 520	564.0	72.5°	70.5°	160.0	450.0	1087.0
Galatea	M / 450	543.7	72.5°	70.5°	135.0	450.0	1068.2
	L / 500	563.9	72.5°	70.5°	145.0	450.0	1088.6
	XL / 550	587.1	72.5°	70.5°	160.0	450.0	1109.1
Arena	M / 440	534.9	72.5°	70.5°	135.0	450.0	1056.0
	L / 480	548.5	72.5°	70.5°	145.0	450.0	1071.0
	XL / 520	564.0	72.5°	70.5°	160.0	450.0	1087.0
Travel	M / 440	534.7	72.5°	70.5°	130.0	440.0	1046.2
	L / 480	548.4	72.5°	70.5°	145.0	440.0	1061.7
	XL / 520	563.7	72.5°	70.5°	160.0	440.0	1077.2
Citerra	M / 440	534.9	72.5°	70.5°	135.0	450.0	1056.0
	L / 480	548.5	72.5°	70.5°	145.0	450.0	1071.0
	XL / 520	564.0	72.5°	70.5°	160.0	450.0	1087.0


GEOMETRY SIZE CHART

- A seat tube length (mm)
- B effective top tube length (mm)
- C seat tube angle
- D head tube angle
- E head tube length (mm)
- F chain stay length (mm)
- G wheel base (mm)




26" wheels size - Mountain type frames

	frame size (A)	B	C	D	E	F	G
Grip	M / 440	550.0	73.0°	71.0°	120.0	425.0	1051.8
	L / 480	572.0	73.0°	71.0°	120.0	425.0	1071.8
	XL / 520	589.2	73.0°	71.0°	140.0	425.0	1087.6
	XXL / 560	616.2	73.0°	71.0°	140.0	425.0	1107.7
Traction	M / 430	549.9	73.0°	71.0°	120.0	425.0	1050.1
	L / 480	570.3	73.0°	71.0°	130.0	425.0	1070.5
	XL / 530	594.2	73.0°	71.0°	140.0	425.0	1090.8
	XXL / 580	621.2	73.0°	71.0°	150.0	425.0	1111.2
GRX	S / 410	531.3	74.0°	70.5°	120.0	425.0	1043.4
	M / 460	552.7	73.5°	70.5°	130.0	425.0	1061.7
	L / 510	567.3	73.5°	71.0°	140.0	425.0	1067.9
	XL / 560	588.9	73.5°	71.0°	170.0	425.0	1090.2
	XXL / 610	604.5	73.0°	71.0°	170.0	425.0	1090.3
Parallax	M / 430	548.4	72.5°	70.0°	130.0	425.0	1059.3
	L / 485	564.2	72.5°	70.0°	135.0	425.0	1074.6
	XL / 530	583.2	72.5°	70.0°	140.0	425.0	1089.9
Spotster	S / 380	528.5	73.5°	69.5°	120.0	425.0	1041.1
	M / 420	532.3	73.0°	70.0°	130.0	425.0	1041.1
	L / 460	538.9	73.0°	70.0°	135.0	425.0	1051.1
	XL / 530	549.4	73.0°	70.5°	150.0	425.0	1056.2
Gravito	S / 410	549.6	73.0°	71.0°	120.0	425.0	1050.0
	L / 460	570.6	73.0°	71.0°	120.0	425.0	1070.0
	M / 510	596.8	73.0°	71.0°	120.0	425.0	1090.0
Gravita	M / 420	513.9	73.0°	71.0°	120.0	425.0	1012.6
	L / 460	535.1	73.0°	71.0°	120.0	425.0	1033.1



29" wheels size Mountain type frames

	frame size (A)	B	C	D	E	F	G
Grip	M / 440	569.7	72.5°	71.5°	105.0	440.0	1082.5
	L / 480	589.5	72.5°	71.5°	110.0	440.0	1102.7
	XL / 520	616.5	72.5°	71.5°	120.0	440.0	1127.5
	XXL / 560	639.1	72.5°	71.5°	140.0	440.0	1148.8
Big Foot	S / 400	559.9	73.75°	71.5°	115.0	450.0	1067.7
	M / 450	577.3	73.75°	71.5°	115.0	450.0	1088.9
	L / 510	593.9	73.75°	71.5°	125.0	450.0	1110.2



Gravito S slopy frame design
Gravita S
26"/24"/20" wheels size

	frame size (A)	B	C	D	E	F	G
S 26	350	553.8	73.0°	71.0°	120.0	425.0	1050.0
S 24	320	507.6	73.0°	71.0°	120.0	405.0	984.4
S 20	290	435.3	71.0°	71.0°	120.0	360.0	860.0



Registered trademarks of CROSS Ltd.
Specifications are subject to change without notice.
www.crosscycle.com

